

Relativistic 3D MHD simulations of pulsar bow-shock nebulae



Maxim Barkov

Purdue University, USA

RIKEN, Japan

In collaboration with

Maxim Lyutikov

Dmitry Khangulian

Noel Klingler


Pol Bordas

Theoretical slides

Numerical slides

Observational slides

Chandra PWN ZOO





Kargaltsev & Pavlov 2008

6/9/2019

The Crab PWN


Porth et al. 2013




Pulsar and ISM interaction

Barkov, Lyutikov and Khangulian (2019a)


Rifle bullet



Frisbee




Cartwheel




Pulsar and ISM interaction



Bullet geometry



Frisbee geometry



Current






Pulsar and ISM interaction

3D RMHD

Magnetization & Magnetic field

Bullet geometry



Magnetization (Log10)



Frisbee geometry




6/9/2019




Pulsar and ISN



Bullet geometry





1D



Frisbee geometry




Geminga




$$\left(\int \epsilon_{\mathbf{B}} \delta_{\mathbf{y}}^3 / \Gamma \, d\mathbf{y} \right)^{1/2}$$


PSR J1509-5850




6/9/2019




VGGRS V, Barcelona





PSR J1741-2054




6/9/2019



B0355 54




Mouse



6/9/2019

$$\left(\int \epsilon_{\mathbf{B}} \delta_{\mathbf{y}}^3 / \Gamma \, d\mathbf{y} \right)^{1/2}$$







VGGRS V, Barcelona

And one more thing...


H α emission

Brownsberger and Romani (2014)




Reynolds et al. 2017

“Obstacles” in the tail?






Morlino et al.
2015; Olmi et al.
2018



ISM variable density




Non relativistic (M)HD



Yoon&Heinz 2017

Toropina et al. 2019

H_α emission




~~Kinetics~~ ~~reactions~~ ~~is~~ ~~going~~ ~~again...~~

Pulsar's "Jet"





IGR J11014-6103 jets

Pavan et al. 2014

- @ 7 kpc, $l_{\text{jet}} \geq 11.5$ pc
(longest jet in the Galaxy)
- precession-like pattern
- faint counter-jet (Doppler)
- chance prob. \sim negligible
 - alignment jet/counter-jet
 - flux change @ "PSR" position
- main jet \sim 1/3 of total flux
- no signatures of bending
(diffuse emission @ jet tip?)




Pulsar's "Jet"



Marelli et al 2015
Klingler et al 2016

Guitar – X-ray and H α







NT particle leakage idea
for explanation of kinetic
Jets was proposed by
Bandiera (2008)

Reynolds et al. 2017



6/9/2019

VGGRS V, Barcelona





Pulsar and ISM interaction



Magnetic anti-bottle?




Snail eyes.




Barkov, Lyutikov, Klingler and Bordas (2019b)

And one more thing...
Gadolinium contrast agents again...


Galactic center by MeerKAT



Our idea



Barkov & Lyutikov 2019c




Gray et al. 1995


Thank you!



Galactic center by MeerKAT








Magnetic bottle?



$$p_{esc} = 1 - \sqrt{1 - \frac{1}{R}} \approx \frac{1}{2R}$$

$$R \equiv B/B_0 \geq 1$$








Pulsar and ISM interaction



3D RMHD

Density & velocity


Bullet geometry






Frisbee geometry



Magnetic field lines



Magnetic bottle?



$$p_{esc} = 1 - \sqrt{1 - \frac{1}{R}} \approx \frac{1}{2R}$$

$$R \equiv B/B_0 \geq 1$$

